





INGENIUS³

When simplicity and budget matter. The InGenius³ gel documentation and analysis system is compact, easy to use and offers an affordable route to gel capture and analysis. Using many of the features found on the higher specification Syngene products, the InGenius³ makes a simple but sophisticated system for any laboratory.





The InGenius³ uses a high performance 3m pixel camera. The darkroom assembly is easily connected to a PC. GeneSys image acquisition software quickly and easily enables images to be captured, archived and edited if required.



GeneSys image acquistion software

GeneSys software is intuitive and ensures that perfect images are captured every time. An image browser facility allows you to view stored images. Previously saved protocol configurations can be easily accessed.

.....

The user need only select the sample format, sample type and matrix type for the InGenius³ system to configure itself to capture the best image.



The type of dye being used can be selected from the extensive internal database.

......



When using automatic capture the system will advise the optimum imaging conditions. Captured images are displayed in the main part of the screen, while previously captured images are displayed in an image pool as a series of thumbnails.



日母对不利可

A full range of editing tools are available to annotate, manipulate, enhance, save and print the image.

.....



The user can have full manual control of all functions.

InGenius³ applications



DNA

With InGenius³ you can use the UV transilluminator to capture images of DNA gels stained with Ethidium Bromide, SYBR® dyes and many other fluorophores



Blue light

The blue light LED transilluminator allows you to view some fluorescent stains with better clarity and with less damage to DNA



Visible light

With the transmitted visible light converter, InGenius³ can be used to view gels which have been stained with silver stain and Coomassie blue. You can also view tissues, slides and films



AutoRads

InGenius³ features a mega resolution camera which is ideal for capturing images requiring high detail. This is especially true when looking for 'separation' between bands and spots. Capturing high quality images of Autorads is one of the strengths of InGenius³



Spot blots

Capturing and analysing spot blots is another very simple application for InGenius³ and GeneTools software

These are just some of the applications that can be used with InGenius³. The Syngene Applications & Support Department is always ready to discuss your particular application needs and how they can be imaged using the InGenius³. The Syngene website contains further technical notes and FAQs covering the use of all Syngene gel documentation systems. Further details can be found at www.syngene.com

InGenius³ system

Capture, store and manipulate images with GeneSys



Image acquisition with a single button



Auto exposure/manual exposure/series capture



Extended dynamic range up to 65,536 grey levels



Neutral fielding for correction of uneven background illumination



Toolbox - annotation/ sharpening/inverting



Saturation control - see which areas of the image are over-exposed

Analyse, document and quantify gels with GeneTools



1D analysis at the 'click' of a button



MW/BP calibrations



Quantity calibrations



Spot blot/colony plate analysis



Band matching functions



CAMERA

CCD digital camera

- 3m pixels
- USB2 connection

LENS

Superior zoom lens for exceptional image quality

FILTER DRAWER

Use a range of filters for extensive choice of fluorescent applications*

SAFETY SWITCH

Protects from accidental UV exposure when opening door

INTERNAL LED WHITE LIGHT

For sample positioning and focusing

TRANSILLUMINATOR (option)

For UV or blue light

- UV transilluminator slides in and out of darkroom
- Blue LED light (UltraSlim-LED)
 sits on a slide in and out tray
- Visible light converter

SLIDING DOOR

Space saving sliding door

*see the on-line Syngene database for details

InGenius³ features & benefits

Features	Benefits
Compact darkroom with sliding door - 40.0(w) x 30.0(h) x 37.5(d) cms	Small footprint taking up minimal laboratory bench space
3 million pixel camera	Good quality images
12/16 bit images (0 - 65,535 grey levels dynamic range)	Precise quantitation
Filter drawer	Capable of viewing a wide range of different fluorophores
UV to visible light converter screen (option)	Easy imaging of protein gels, autoradiographs and colony plates
GeneTools analysis software	Saves time by automating analysis of gels, colony plates & blots
Connect to any PC	Use a computer of your choice
Transilluminators (option)	Choice of UV or blue light



UltraSlim-LED

specification

Dimension (mm)

Wavelength (nm)

Gel size (mm)

Power Weight

Superior gel illumination

UltraSlim-LED option uses a high intensity LED array which can illuminate a range of dyes including GelRed, GelGreen, SYBR®Safe, EtBr and the new UltraSafe blue dye. UltraSlim-LED provides a uniform and bright excitation across gels up to 12 x 10cm.

The unit is compact and slimline and has an array of LEDs which illuminate samples from the side, providing low signal to noise ratio (S/N). A built-in filter/lid provides the optimum viewing conditions and is ideal for band cutting.

The UltraSlim-LED is used instead of the UV transilluminator and is positioned on a sliding tray.

The InGenius³ gel documentation and analysis system is compact, easy to use and offers an affordable route to gel capture and analysis.



InGenius³ specification

	InGenius ³
Camera	
Sensor	1/3 inch
Resolution	3 million pixels
Bit depth	12/16 bit (extended)
Greyscales	0 - 65,536
Dynamic range	3.6/4.8 (extended)
Lens	Manual zoom
	6.5 - 39, F1.4
Viewing area	20 x 20cm
Illumination	
Slim UV transilluminator	Option
20 x 20cm	
UltraSlim-LED transilluminator	Option
10 x 12cm	
Visible light converter	Option
White Epi overhead	Yes
Software	
GeneSys image capture	Yes
GeneTools image analysis	Yes
GeneDirectory	Option







Please refer to www.syngene.com for all ordering information

Syngene Europe and International Headquarters:

Beacon House Nuffield Road Cambridge CB4 1TF UK Tel: +44 (0)1223 727123 Fax: +44 (0)1223 727101 email: sales@syngene.com

Syngene USA Headquarters:

5108 Pegasus Court Suite M Frederick MD 21704 USA Tel: 800-686-4407/301-662-2863 Fax: 301-631-3977 email: ussales@syngene.com

Website: www.syngene.com

G.0051.03.12

All trademarks acknowledged



Over 75,000 scientists world-wide in pharmaceutical and biotech companies, as well as academic and government institutions, have chosen Syngene as their expert imaging partner. If you'd like to find out why, please contact us or one of our dealers for more information and a demonstration of the revolutionary InGenius³



Please refer to www.syngene.com for all ordering information

Syngene Europe and International Headquarters:

Beacon House Nuffield Road Cambridge CB4 1TF UK Tel: +44 (0)1223 727123 Fax: +44 (0)1223 727101 email: sales@syngene.com

Syngene USA Headquarters:

5108 Pegasus Court Suite M Frederick MD 21704 USA Tel: 800-686-4407/301-662-2863 Fax: 301-631-3977 email: ussales@syngene.com

Website: www.syngene.com

G.0051.03.12 All trademarks acknowledged