Application; Type of Kit	Product Name	Catalog Number	Typical Starting Material	Typical Downstream Application	Min/Max Amount of Starting Material	Binding capacity	Typical Yield	Recovery	Purity A <sub>(260/280)</sub>	Elution Volume	Fragment size	Time per Prep
Plasmids		AC's, PAC's, cosmids, high (HC) and	low (LC) copy	<i>"</i>		• • •			2 (200/200)			
NucleoBond	NucleoBond PC 20	740571/.100	cultured bacteria, phage	transfection, sequencing, cloning	1-5 ml (HC); 3-10 ml (LC)	20 μg	3-20 µg		1.8-1.95	1 ml	500 bp-300 kb	60 min/4-6 preps
NucleoBond	NucleoBond PC 100	740577.100	cultured bacteria, phage	transfection, sequencing, cloning	5-30 ml (HC); 10-100 ml (LC)	100 μg	20-100 μg		1.8-1.95	5 ml	500 bp-300 kb	65 min/4-6 preps
			., •									
	NucleoBond PC 500	740574/.25/50/100	cultured bacteria, phage	transfection, sequencing, cloning	30-150 ml (HC); 100-500 ml (LC)	500 μg	450-520 μg		1.8-1.95	15 ml	500 bp-300 kb	80-90 min/4 preps
! !	NucleoBond PC 2 000	740576	cultured bacteria, phage	transfection, sequencing, cloning	150-2 000 ml	2 000 μg	1 700-2 000 μg		1.8-1.95	25 ml	500 bp-300 kb	90-120 min/4-6 preps
	NucleoBond PC 10 000	740593	cultured bacteria, phage	transfection, sequencing, cloning	500-10 000 ml	10 000 µg	5 000-9 000 μg		1.8-1.95	100 ml	500 bp-300 kb	120-150 min/2 preps
	NucleoBond PC 500 EF	740550	cultured bacteria, phage	transfection of sensitive cells	30-150 ml	500 μg	450 - 520 μg		1.8-1.95	15 ml	500 bp-300 kb	100 min/2 preps
	NucleoBond PC 2 000 EF	740549	cultured bacteria, phage	transfection of sensitive cells	150-500 ml	2 000 μg	1 700-2 000 µg		1.8-1.95	25 ml	500 bp-300 kb	150 min/2 preps
	NucleoBond PC 10 000 EF	740548	cultured bacteria, phage	transfection of sensitive cells	500-2 000 ml	10 000 μg	5 000-9 000 μg		1.8-1.95	100 ml	500 bp-300 kb	180 min/2 preps
	NucleoBond PC Prep 100	740579	cultured bacteria, phage	transfection, sequencing, cloning	5-20 I (HC); 40 I (LC)	100 mg	80-100 mg		1.8-1.95	470-600 ml	500 bp-300 kb	20 h/prep
						•	•					
	NucleoBond BAC 100	740594	cultured bacteria, phage	transfection, sequencing, cloning	100-500 ml	100 μg	10-100 μg		1.8-1.95	15 ml	500 bp-300 kb	120 min/2-4 preps
·	NucleoSpin Plasmid	740588.10/50/250	cultured bacteria, phage	transfection, sequencing, cloning	1-5 ml	60 µg	40 µg		1.7-1.85	50 µl	100 bp-15 kb	25 min/18 preps
	NucleoSpin Plasmid QuickPure	740615.10/50/250	cultured bacteria, phage	sequencing, cloning	1-3 ml	15 µg	15 µg		1.8-1.95	50 μl	100 bp - 15 kb	11 min/18 prep
	·		,, ,	, ,						·	·	
	NucleoSpin 8/96 Plasmid	740620/.5; 740621/.5; 740625.1/4/24;	cultured bacteria, phage	transfection, sequencing, cloning	1-5 ml	25 μg/20 μg	15 μg/5-15 μg			75 - 150 µl	100 bp - 15 kb	60 min/6 strips; 45 min/plat
		740708.2/4/24										
	NucleoSpin 96 Flash	740618.2/4/24	cultured bacteria, phage	sequencing, cloning	1.1 - 5 ml		8 µg				<250 kb	90 min/2 plates
DNA clean-up	Purification of DNA from gels a	and PCR										
NucleoTrap	NucleoTrap	740584/.10	TAE/TBE agarose gel	sequencing, RFLP	20-600 mg	6 μg/10 μl	2.5 µg/10 µl	50-90 %	1.7-1.9	20-50 μl	20 bp-20 kb	60 min/6 preps
	NucleoTraP CR	740587/.10	PCR-reaction mixtures, desalination, labeling-	sequencing, RFLP, spotting	20-400 µl	6 μg/10 μl	2.5 µg/10 µl		1.7-1.9	20-50 μl	100 bp-20 kb	45 min/6 preps
		×==	mixtures			- F3 V P.	r3, . v p.			P.	p 20 NO	2 2 p. opo
NucleoSpin	NucleoSpin Extract II	740609.10/50/250	TAE/TBE agarose gel, PCR-reaction mixtures,	sequencing, RFLP, spotting	up to 400 mg gel; up to 400 µl PCR reaction	15 µg		70-95 %	1.8-1.9	15-50 µl	65 bp-10 kb	10 min/6 preps
•			desalination, labelling-mixtures							•		
	NucleoSpin 8/96 Extract	740622/.5; 740626.1/4; 740707.2/4/24	PCR-reaction mixtures	sequencing, spotting	100-200 μΙ	20 μg		75-90 %	>1.8	75 - 150 µl	100 bp-10 kb	30 min/6 strips; 45 min/plate
NucleoFast	NucleoFast 96 PCR	743100.01/.10/.50; 743500.4	PCR-reaction mixtures	sequencing, spotting	20-300 µl			50-95 %	1.7-1.8	25 - 100 μl	>100 bp	15 min/plate
					•						•	•
NucleoMag	NucleoMag 96 PCR	744100.1/4/24	PCR-reaction mixtures	sequencing, spotting	50 μl	0.3 μg/1 μl beads		80-100 %	1.7-1.9	25-75 µl	>100 bp	45 min/plate
						•						
RNA and mRNA	Purification of RNA and mRNA	from bacteria, tissue, plants										
NucleoSpin	NucleoSpin RNA II	740955.20/50/250	cultured cells, tissue, bacteria, yeast	RT-PCR, spotting, Nothern Blotting	100-5 x 10 <sup>6</sup> cells; 10-30 mg tissue	100 µg	14 μg from 106 HeLa		1.9-2.1	40 - 100 µl	200 b-20 kb	30 min/6 preps
							cells					
	NucleoSpin RNA clean-up	740948.10/50/250	phenol/chloroform extracts, reaction mixtures	RT-PCR, spotting, Northern Blotting	1 - 200 µl	100 μg		85-95 %	1.9-2.1	40-100 µl	200 b-20 kb	20 min/6 preps
	NucleoSpin RNA L	740962.20	cultured cells, tissue, bacteria, yeast	RT-PCR, spotting, Northern Blotting	100-5 x 107 cells; 30-200 mg tissue	700 μg	180 μg from 107 HeLa		1.9-2.1	500 μΙ	200 b-20 kb	80 min/4 preps
							cells					
	NucleoSpin RNA Plant	740949.20/50/250	plants, food	RT-PCR, spotting, Northern Blotting	1 - 100 mg	100 μg	3-70 µg from 100 mg		1.9-2.1	60 µl	200 b-20 kb	30 min/6 preps
							plant material					
	NucleoSpin 8/96 RNA	740698/.5; 740709.2/4/24	cultured cells, tissue, bacteria, yeast	RT-PCR, spotting, Northern Blotting	2 x 10 <sup>6</sup> -1 x 10 <sup>7</sup> cells; 10-30 mg tissue		20-100 μg		1.9-2.1	50-130 μl		70 min/plate
NucleoTrap	NucleoTrap mRNA kit	740655; 740656	total RNA extracts, cells	cDNA libraries, Northern Blotting	200-250 μg total RNA	5 μg/mg beads	10 µg		1.9-2.1	10-20 μΙ	50 b-20 kb	30 min/prep
gDNA from blood	Purification of genomic and vi	ral DNA from blood and other body fl	uids									
NucleoSpin	NucleoSpin Blood	740951.10/50/250	whole blood, serum, plasma, other body fluids	PCR, Southern Blotting	1-200 μl; 5 x 10 <sup>6</sup> cells	60 μg	4-6 μg		1.6-1.9	100 μΙ	300 bp->30 kb	30 min/prep
	NucleoSpin Blood QuickPure	740569.10/50/250	whole blood, serum, plasma, other body fluids	PCR, Southern Blotting	1-200 μl; 5 x 10 <sup>6</sup> cells	50 μg	4-6 µg		1.6-1.9	50 μl	300 bp->30 kb	10 min/prep
	NucleoSpin Blood L	740954.20	whole blood, serum, plasma, other body fluids	PCR, Southern Blotting	1-2ml; 5 x 10 <sup>6</sup> cells	250 μg	40-60 μg		1.6-1.9	200 μΙ	300 bp->30 kb	60 min/prep
	NucleoSpin Blood XL	740950.10/50	whole blood, serum, plasma, other body fluids	PCR, Southern Blotting	2-10 ml; 2 x 10 <sup>7</sup> cells	700 µg	200-300 μg		1.6-1.9	1 000 μΙ	300 bp->30 kb	60 min/prep
	NucleoSpin 8/96 Blood	740664/.5; 740665.1/4/24	whole blood, serum, plasma, other body fluids	PCR, Southern Blotting	1-200 μl; 1 x 10 <sup>8</sup> cells	20 μg	4-6 µg		1.8-1.9	100 μΙ	300 bp->30 kb	70 min/6 strips or 1 plate
	NucleoSpin 8/96 Blood QuickPure	•	whole blood, serum, plasma, other body fluids	PCR, Southern Blotting	200-300 μΙ	60 µg	4-6 μg		1.6-1.9	75 - 100 µl	300 bp->30 kb	60 min/12 strips or 2 plates
NucleoMag	NucleoMag 96 Blood	744500.1/4/24	whole blood	PCR, Southern Blotting	100 μΙ	0.4 μg/1 μl beads	1-4 µg		1.6-1.9	25-100 µl	300 bp->30 kb	120 min/plate
gDNA from tissue		rom tissue, bacteria, yeast, urine, buc										
NucleoSpin	NucleoSpin Tissue	740952.10/50/250	tissue, bacteria, yeast, dried blood spots, hair	PCR, Southern Blotting, sequencing	1-25 mg; 100-10 <sup>7</sup> cells	60 µg	35 μg		1.7-1.9	60 - 100 µl	300 bp->30 kb	20 min/4-6 preps
			roots, stool, urine, sputum, buccal swabs, blood									
	NucleoSpin 8/96 Tissue	740740/.5; 740741.2/4/24	mouse and rat tails, other tissues	PCR, Southern Blotting, sequencing	<20 mg	40 µg	15-25 µg		1.8-1.9	100-200 μΙ	300 bp->30 kb	60 min/12 strips or 2 plates
gDNA from forensic samples	Purification of genomic DNA for	rom cells, tissues, bones, hair, buccal	I swabs, etc.									
NucleoSpin	NucleoSpin DNA Trace	740942.4/25	small amounts of tissue, cells, forensic samples,	PCR, Southern Blotting, sequencing	10 mg tissue; < 10 <sup>5</sup> cells	20 μg DNA	>10 ng	>70 %	1.7-1.9	100 μΙ		60 min/prep
			dried blood spots, bones, buccal swabs									
	NucleoSpin 8/96 Trace	740722/.1; 740726.2/4	forensic samples, buccal swabs, dried blood	PCR, Southern Blotting, sequencing		20 μg	1-2 µg		1.8-1.9	50-100 μl		70 min/6 strips or 1 plate
			spots									
gDNA from plants	Purification of genomic DNA fi	rom plants, fungi, food, algae, soil, an	imal excrements, etc.									
NucleoSpin	NucleoSpin Plant	740570.10/50/250	fresh/frozen plants, fungi, soil, compost, dung,	PCR, Southern Blotting, sequencing	5-100 mg	50 μg	10-30 μg		1.8-1.9	100 μΙ	50 bp->30 kb	60 min/prep
			animal excrements, food									
	NucleoSpin Plant L	740539.20	fresh/frozen plants, fungi	PCR, Southern Blotting, sequencing	50-250 mg	200 μg	20-80 μg		1.8-1.9	200 μΙ	50 bp->30 kb	75 min/prep
	NucleoSpin Plant XL	740540.6	fresh/frozen plants, fungi	PCR, Southern Blotting, sequencing	100-10 000 mg	>1000 µg	60-260 μg		1.8-1.9	500-2 000 µl	50 bp->30 kb	90 min/prep
	NucleoSpin 8/96 Plant	740662/.5; 740661.2/4/24	fresh/frozen plants, fungi	PCR, Southern Blotting, sequencing	20-100 mg	25 µg	5-30 µg		1.8-1.9	100-200 µl	50 bp->30 kb	2 h/12 strips or 1 plate
uDNA from for a	Doubling the section of the section	name food and food over										
gDNA from food		rom food and feed, processed plants										
NucleoSpin	NucleoSpin Food	740945.10/50/250	food, processed plants, feed	PCR, Southern Blotting, sequencing	5-200 mg	30 µg	0.1-10 μg		1.8-1.9	100 μΙ	300 bp->30 kb	30 min/6 preps
	Purification of RNA from virus											
RNA from virus	NucleoSpin RNA Virus	740956.10/50/250	biological fluids: plasma, serum, urine	RT-PCR, enzymatic reactions	30-60 cp/ml; 150 μl	40 µg		>90 %		50 µl	100 bp->30 kb	30 min/4-6 preps
RNA from virus NucleoSpin	•	740050	biological fluids: plasma, serum, urine	RT-PCR, enzymatic reactions	30-60 cp/ml; 1 ml	30 µg		>90 %		50 μΙ	100 bp->30 kb	45 min/2-4 preps
	NucleoSpin RNA Virus F	740958										
	NucleoSpin RNA Virus F											
NucleoSpin	NucleoSpin RNA Virus F  NucleoSpin 8/96 RNA Virus	740643/.5; 740691.2/4	biological fluids: plasma, serum, urine	RT-PCR, enzymatic reactions	100 cp/ml; 100 μl	40 μg		>90 %		70 - 100 µl	100 bp->30 kb	60 min/6 strips or 1 plate
	NucleoSpin RNA Virus F	740643/.5; 740691.2/4	biological fluids: plasma, serum, urine	RT-PCR, enzymatic reactions	100 cp/ml; 100 μl	40 μg		>90 %		70-100 µl	100 bp->30 kb	60 min/6 strips or 1 plate



**NucleoBond®** 

modified silica gel Technology: anion-exchange chromatography,

no organic solvents,

folded filters for lysate clearing, low-salt binding, high-salt elution,

alcohol precipitation of DNA/RNA or NucleoBond Finalizer

Format: gravity-flow cartridges for mini, midi, maxi, mega, giga, and preparative preps

Result: ultrapure, transfection-grade plasmid DNA, genomic DNA, RNA



NucleoSpin®

Material: modified silica membrane

Technology: DNA/RNA adsorption in the presence of chaotropic salts (high-salt binding),

low-salt/water elution, ready-to-use DNA/RNA, no organic solvents

Format: spin columns: low-throughput systems

> 8-well strips: medium-throughput systems for vacuum manifolds,

centrifuges, and automation systems

high-throughput systems for vacuum manifolds, 96-well plates:

centrifuges, and automation systems

highly pure plasmid DNA, genomic DNA, total RNA, viral DNA/RNA



NucleoTrap®

Material: spherical silica matrix

DNA adsorption in the presence of

chaotropic salts, no organic solvents silica matrix suspension for centrifugation

highly pure ready-to-use DNA



affinity chromatography, no organic solvents latex beads suspension

ultra-pure ready-to-use poly(A) mRNA



NucleoFast

Technology:

Format:

Result:

ultrafiltration membrane Technology: ultrafiltration, size exclusion

Format: 96-well plates: high-throughput system

for vacuum manifolds, centrifuges, and automation systems

Result: highly pure ready-to-use PCR products



**NucleoSEQ** 

Material: size exclusion matrix Technology: gel filtration, size exclusion Format:

spin columns filled with dry matrix

Result: efficient removal of sequencing dye-terminators



NucleoMag

Material: superparamagnetic beads

Technology: selective binding of DNA to magnetic beads in the presence of

chaotropic salts (high-salt binding), low salt elution

Format: 96-well system

Result: highly pure ready-to-use PCR products, genomic DNA from blood



Protino<sup>®</sup>

Format:

Material: macroporous silica

Technology: immobilized metal ion affinity chromatography (IMAC), interaction of the polyhistidine-tag of

the recombinant protein and immobilized Ni<sup>2+</sup> ions, elution with imidazole

dry material, fast and easy handling, storage at room temperature possible

gravity flow columns: filled with dry matrix

resin: dry bulk matrix, for batch and FPLC applications

96-well plates: filled with dry matrix

purification of highly pure polyhistidine-tagged proteins, high binding specificity, less unspecific Features:

binding of contaminating proteins, elution at low imidazole concentration possible

Typical starting

material:

Typical downstream functional screening of engineered proteins, selection of clones, comparison of expression


E. coli expression culture, any expression system can be used

levels, protein sequencing, MALDI (MS), Western Blotting, enzyme assays application:


Format	Features
mini gravity-flow column, anion exchange	
midi gravity-flow column, anion exchange maxi gravity-flow column, anion exchange	high- and low-copy plasmid DNA, working range from ng to mg DNA, optimized, patented anion-exchange resin, column runs by gravity flow, high recovery >90 %, extremely pure plasmid DNA suited for transfection of sensitive cells, folded filters for lysate clarification eliminate the centrifugation step, NucleoBond Finalizer for
mega gravity-flow column, anion exchange	easy desalination available
giga gravity-flow column, anion exchange	
maxi gravity-flow column, anion exchange	extremely pure, endotoxin-free plasmid DNA (less than 0.05 EU/µg), suited for transfection of highly sensitive cells and in gene therapy, recovery and structural
mega gravity-flow column, anion exchange giga gravity-flow column, anion exchange	integrity > 90 %, minimum hands-on time, increased volumes of lysis buffer and RNase A included, folded filters for lysate clarification eliminate the centrifugation step
preparative-scale column, anion exchange	preparative scale purification of plasmids, fast procedure, extremely pure, endotoxin-free plasmid DNA (less than 0.05 EU/µg), compatible with HPLC, FPLC, and Bio-Pilot
maxi gravity-flow column, anion exchange	especially designed for BAC's, larger buffer volumes included
mini spin-columns, silica membrane mini spin-columns, silica membrane	highly pure, sequencing grade DNA, fast spinning-procedure for high- and low-copy plasmids up to 15 kb, recovery 85-95 % high-copy plasmid DNA up to 15 kb, specialized silica membrane allows 1 combined washing- and drying-step, ultra-fast procedure, very good price/performance ratio
8-well strip/96-well plate, silica membrane	8-well strips and 96-well plates available for medium and high throughput, up to 5 ml culture volume possible, available for manual or automated use
96-well filter plate	suited for large constructs e.g. cosmids, BAC's, fast preparation, low cost system for high throughput
silica beads silica beads	gel extraction of fragments in the range of 20 bp-20 kbp, high binding capacity even for small fragments, large fragments are not sheared PCR clean-up, isolation of fragments down to 100 bp, efficient removal of primers, large fragments are not sheared
mini spin-columns, silica membrane	one kit, two applications: purification from gels and PCR mixtures, easy handling, fragments from 65 bp-10 kb, high recovery, small elution volumes, no pH indicator required
8-well strip/96-well plate, silica membrane	medium and high throughput purification of PCR products, available for manual or robotic use, processing under vacuum or centrifugation, recovery 75-90 %
96-well plate, ultrafiltration processing	high throughput purification of PCR products, manual or robotic use possible, processing under vacuum or centrifugation, high recovery for fragments down to 100 bp, sturdy membrane, no membrane particles interfere with microarray spotting, no well-to-well contamination, one piece plate
magnetic beads	medium and high throughput purification of PCR products, designed for automated use, high recovery especially for small fragments, small elution volumes possible, recovery does not depend on elution volume, high binding capacity reduces bead carry-over
mini spin-columns, silica membrane	on-column DNA digestion, DNase I and membrane desalting buffer included, NucleoSpin Filters for optimal homogenization and reduction of lysate viscosity, additional buffer set available for the subsequent isolation of DNA and RNA from the same sample
mini spin-columns, silica membrane	fast purification, suitable for reaction mixtures, labled RNA, isolation from small amounts of cells
midi spin-columns, silica membrane	large scale purification, on-column DNA digestion, DNase I and membrane desalting buffer included, NucleoSpin Filters for optimal homogenization and reduction of lysate viscosity
mini-spin columns, silica membrane	two different lysis buffers included, DNase I and membrane desalting buffer included, NucleoSpin Filters for optimal homogenization and reduction of lysate viscosity, additional buffer set available for the subsequent isolation of DNA and RNA from the same sample
8-well strip/96-well plate, silica membrane	medium and high throughput purification of RNA, available for manual or robotic use, processing under vacuum or centrifugation possible, DNase I included, NucleoSpin RNA filter plate for optimal homogenization and reduction of lysate viscosity available
oligo dT beads	high quality, fast procedure, high binding capacity of oligo(dT) latex beads, processed under centrifugation
mini spin-columns, silica membrane	high capacity, high sensitivity, suited for blood, body fluids, buffy coats, leucocytes, DNA traces, detection of pathogenics (bacterial/viral DNA), complete removal of PCR inhibitors
mini spin-columns, silica membrane	high speed due to a combined washing- and drying-step, high purity, high concentration, reduced risk of clogging, suited for difficult samples (old blood, clotted blood, animal blood), complete removal of PCR inhibitors
midi spin-columns, silica membrane maxi spin-columns, silica membrane	processing of larger blood volumes up to 2 ml, optimized elution volume, high concentration processing of larger blood volumes up to 10 ml, optimized elution volume, high concentration
8-well strip/96-well plate, silica membrane	medium and high throughput purification, manual and robotic processing under vacuum or centrifugation, optimized flow rate, complete processing at room temperature
8-well strip/96-well plate, silica membrane	medium and high throughput purification, manual handling under centrifugation, high speed due to combined wash- and drying step
magnetic beads	medium and high throughput purification, designed for automated use, one-tube reaction, no risk of cross-contamination, high concentration of DNA, small elution volumes, yield does not depend on elution volume, high binding capacity reduces bead carry-over
mini spin-column, silica membrane	universal kit for a wide variety of samples including clinical and forensic samples, many support protocols available, easy and convenient, high capacity, high sensitivity, even small amounts of DNA can be processed
8-well strip/96-well plate, silica membrane	mign sensitivity, even small amounts of DNA can be processed medium and high throughput purification, manual or robotic handling under vacuum or centifugation, time saving
funnel column, silica membrane	suited for small amounts of material, sample extraction with up to 8 ml lysis buffer possible, small elution volumes, closed system without cross-contamination, includ-
8-well strip/96-well plate, silica membrane	ing a patent pending funnel column, for trace analysis and forensic investigations, additional buffer set available for extractions from bones medium and high throughput purification of DNA from forensic samples, manual or robotic handling under vacuum or centrifugation
	e.g. buccal swabs, cigarette filters
mini spin-column, silica membrane	two different lysis buffers included for lysis of different plant species and fungi, complete removal of PCR inhibitors
midi spin-column, silica membrane	medium scale purification of plant DNA, up to 250 mg, two different lysis buffers included for lysis of different plant species and fungi, complete removal of PCR inhibitors
maxi spin-column, silica membrane	large scale purification of plant DNA, up to 10 000 mg, two different lysis buffers included for lysis of different plant species and fungi, complete removal of PCR inhibitors
8-well strip/96-well plate, silica membrane	medium and high throughput purification of DNA from plants, manual or robotic handling under vacuum or centrifugation, RNase A included, no cross-contamination, time saving
mini spin-column, silica membrane	suited for the isolation of DNA from heterogeneous, processed food samples such as chocolate, ketchup, spices, cattle feed, etc., complete removal of PCR inhibitors even from difficult samples
mini spin-column, silica membrane midi spin-column, silica membrane	high recovery > 90 %, support protocol for viral DNA included, included carrier RNA allows high sensitivity  patent pending funnel column allows high loading capacity and small elution volumes for high sensitivity, closed system, no cross-contamination, easy handling with
8-well strip/96-well plate, silica membrane	standard centrifuges medium and high throughput purification, manual or robotic handling with centrifuge, high recovery > 90 %, no cross-contamination
gel filtration	gel-filtration, fast procedure, removal of sequencing dye-terminators including BigDye Vers. 1.1/3.0/3.01

Protino Ni-TED	Protino Ni-IDA
TED	IDA
1	3
5	3
10	20
high stability against reducing/chelating agents	high protein yield/recovery even from diluted samples
low metal leaching	high protein concentration
high protein purity	
	TED  1  5  10  high stability against reducing/chelating agents low metal leaching

## Protino® Ni - TED



## Protino® Ni - IDA



Product name	Format	Binding capacity*	Elution Volume	Catalog Number	Features
Protino Ni-TED 150 packed columns	gravity flow columns	400 µg	240-720 μΙ	745100.10/50	
Protino Ni-TED 1 000 packed columns	gravity flow columns	2.5 mg	1.5-4.5 ml	745110.5/50	precharged ready-to-use columns, buffers included, columns run by gravity, time-saving handling - no shaking
Protino Ni-TED 2 000 packed columns	gravity flow columns	5 mg	3-9 ml	745120.5/25	
Protino Ni-TED Resin	resin	10 mg/g resin	3-9 bed volumes	745200.5/30/ 120/600	dry matrix, precharged with Ni $^{\rm 2+},$ suitable for gravity flow chromatography, batch-binding, medium pressure column chromatography
Protino Ni-IDA 150 packed columns	gravity flow columns	800 µg	240-720 μΙ	745150.10/50	
Protino Ni-IDA 1 000 packed columns	gravity flow columns	5 mg	1.5-4.5 ml	745160.5/50	precharged ready-to-use columns, buffers included, columns run by gravity, time-saving handling - no shaking
Protino Ni-IDA 2 000 packed columns	gravity flow columns	10 mg	3-9 ml	745170.5/25	
Protino Multi-96 Ni-IDA	96-well plates, gravity-flow	1 mg/well	250-750 μl/well	745300.1/4	high throughput purification, buffers included, wells run by gravity
Protino Ni-IDA Resin	resin	20 mg/g resin	3-9 bed volumes	745210.5/30/ 120/600	dry matrix, precharged with Ni $^{\rm 2+},$ suitable for gravity flow chromatography, batch-binding, medium pressure column chromatography

\* refers to 6xHis-GFPuv

For more information about the MN Bioanalysis products contact your local distributor or visit us at www.mn-net.com.



Trademarks: NucleoSpin, NucleoBond, NucleoTrap, Protino are registered trademarks of MACHEREY-NAGEL.

## **MACHEREY-NAGEL**



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · D-52355 Düren · Germany

Tel.: +49 (0) 24 21 96 92 70 Tel.: +41 (0) 62 388 55 00 e-mail: tech-bio@mn-net.com e-mail: sales-ch@mn-net.com


MACHEREY-NAGEL AG

MACHEREY-NAGEL EURL Tel.: +33 (0) 3 88 68 22 68 e-mail: sales-fr@mn-net.com

MACHEREY-NAGEL Inc.

Tel.: +1 610 559 98 48

## The MN World of **Nucleic Acid and Protein** Purification



MACHEREY-NAGEL

